

CLAIM LISTING

1. (currently amended) A method adding a watermark image to a composition, said method comprising:

a watermark service sending a first network communication to a client device, the first network communication including imaging service content representing a plurality of selectable watermark images;

the watermark service receiving a second network communication from the client device, the second network communication including information ~~at least indirectly~~ related to ~~the selection of~~ a watermark image selected from the plurality of selectable watermark images, the watermark service operating on a first network server and having access to the plurality of watermark images;

the watermark service accessing a target composition that includes one or more graphic references, the target composition identifying an arrangement of the one or more graphics referenced by the one or more graphic references in a document to be created, the target composition being stored on a second network server such that the watermark service accesses the second network server on which the target composition is stored to access the target composition; and

generating a watermark composition comprising the one or more graphic references of the target composition and a reference to the selected watermark image.

2. (previously presented) The method of claim 1, wherein receiving a network communication selecting a watermark image is accomplished with the aid of an imaging extension.

3. - 4. (Canceled).

5. (previously presented) The method of claim 1, further comprising storing the watermark composition within a composition store operating on the second network server.

6. (Previously presented) The method of claim 5, wherein storing the watermark composition comprises retaining web content such that when the web content is served to a remote service web browser, the remote service generates a hard-copy product using the watermark composition.

7. - 13. (Canceled).

14. (Previously presented) The method of claim 1, wherein the target composition is stored in a personal-imaging repository associated with the user.

15. - 16. (Canceled).

17. (currently amended) A system for adding a watermark to a composition, comprising:

a watermark service coupled to a network and having access to imaging service content representing a plurality of selectable watermark images; and

a computing device coupled to the network, the computing device configured with a browser, wherein the browser is configured to receive the imaging-service content from the watermark service, the imaging-service content including a reference for each of the plurality of selectable watermark images, enable a user of the browser to select a watermark image from the plurality of selectable watermark images represented by the imaging-service content, obtain the reference to the selected watermark image for integration with a target composition stored in a data storage device communicatively coupled with the computing device, the target composition including one or more graphic references and identifying an arrangement of one or more graphics referenced by the one or more graphic references in a document to be created, and at least initiate the generation of a watermark composition comprising the reference to the selected watermark image and the one or more graphic references.

18. (previously presented) The system of claim 17, wherein the reference to the selected watermark includes a reference to a textual watermark.

19. (previously presented) The system of claim 17, wherein the reference to the selected watermark includes a reference to a graphical design watermark.

20. (Original) The system of claim 17, wherein the browser comprises an imaging extension.

21 . (Original) The system of claim 17, further comprising:
a service server coupled to the network and a service, wherein the service server receives data from the browser.

22. (Original) The system of claim 21, wherein the data comprises resource device commands.

23. (previously presented) The system of claim 21, wherein the data comprises reference for accessing the watermark composition from the data storage device.

24. (Original) The system of claim 22, wherein the resource device commands are configured to direct the creation of a hard-copy product.

25. (currently amended) A computer-readable medium storing computer executable ~~readable~~ instructions for:

receiving imaging-service content representing a plurality of watermark images;
enabling a user to select a watermark image from the plurality of watermark images represented by the imaging service content;

obtaining a reference to a watermark image selected by the user;
identifying one or more compositions designated for integration with the reference to the selected watermark image, each of the one or more compositions including one or more graphic references and identifying an arrangement of one or more graphics referenced by the one or more graphic references in a document to be created;

for each of the one or more compositions, initiating the generation of a watermark composition comprising the reference to the watermark image and the one or more graphic references of that composition ~~at least one target composition~~; and
initiating the storage of the one or more generated watermark compositions in a personal imaging repository.

26. (previously presented) The computer-readable medium of claim 25, storing further instructions:

redirecting the one or more watermark compositions to at least one service to generate a product.

27. (cancelled)

28. (cancelled)

29. (cancelled)

30. (previously presented) The computer-readable medium of claim 26, wherein the instructions for redirecting include instructions for redirecting a reference to at least one of the one or more watermark compositions, the watermark composition residing within the personal imaging repository.

31. (cancelled)